


## F105

| Mdel/Item | Output (kg) | Stroke (mm) | Cylinder Dia. (mm) | Rate Pressure | Air Consumption (l) | Piping Bore (PT) | Open Height (mm) | Weight (kg) |
|-----------|-------------|-------------|--------------------|---------------|---------------------|------------------|------------------|-------------|
| F105-1500 | 1500        | 100         | 63                 | 10 : 1        | 10                  | 3/8"             | 200              | 140         |
| F105-3000 | 3000        | 100         | 80                 | 12 : 1        | 16                  | 1/2"             | 200              | 150         |
| F150-5000 | 5000        | 100         | 80                 | 20 : 1        | 22                  | 1/2"             | 200              | 160         |



## F106

| Mdel/Item | Output (kg) | Stroke (mm) | Cylinder Dia. (mm) | Descending Speed (cm/min) | Rising Speed (cm/min) | Open Height (mm) | Weight (kg) |
|-----------|-------------|-------------|--------------------|---------------------------|-----------------------|------------------|-------------|
| F106-3000 | 3000        | 200         | 80                 | 400                       | 580                   | 300              | 200         |
| F106-5000 | 5000        | 200         | 100                | 255                       | 340                   | 300              | 210         |



## F107

| Mdel/Item | Output (kg) | Stroke (mm) | Cylinder Dia. (mm) | Descending Speed (cm/min) | Rising Speed (cm/min) | Open Height (mm) | Weight (kg) |
|-----------|-------------|-------------|--------------------|---------------------------|-----------------------|------------------|-------------|
| F107-3000 | 3000        | 200         | 80                 | 400                       | 580                   | 200              | 180         |
| F107-5000 | 5000        | 200         | 100                | 255                       | 340                   | 200              | 190         |